

# Composer des documents en langage LaTeX

## Installation d'une distribution LATEX compatible avec la variable d'environnement PATH




**PATH** est la variable d'environnement utilisée par le système d'exploitation pour localiser les fichiers exécutables indispensables depuis la ligne de commande ou la fenêtre de terminal.

- **MiKTeX** est une distribution légère de LATEX avec une installation pratique de paquets à la demande. Elle se trouve dans le [centre logiciel](#), vous pouvez donc l'installer même si vous n'êtes pas administrateur de la machine.


Alternativement, si vous êtes administrateur de la machine, vous pouvez installer:

- TeX Live
- ou TinyTeX (distribution plus légère basée sur TeX Live).



Pour que **MiKTeX** fonctionne correctement il faut installer **Perl**. (on utilisera pour se faire **ActivePerl**, qui se trouve aussi dans le [centre logiciel](#)).

## Installation de Perl



## Modification de la variable d'environnement PATH

Rajoutez le chemin vers l'exécutable Perl dans la variable d'environnement PATH.

## Vérification

On peut vérifier que l'installation s'est bien déroulée en tapant `perl -v` dans le terminal.

```

Invite de commandes

Microsoft Windows [version 10.0.19045.4170]
(c) Microsoft Corporation. Tous droits réservés.

Z:\>perl -v

This is perl 5, version 26, subversion 1 (v5.26.1) built for MSWin32-x64-multi-thread
(with 1 registered patch, see perl -V for more detail)

Copyright 1987-2017, Larry Wall

Binary build 2601 [404865] provided by ActiveState http://www.ActiveState.com
Built Dec 11 2017 12:23:25


Perl may be copied only under the terms of either the Artistic License or the
GNU General Public License, which may be found in the Perl 5 source kit.

Complete documentation for Perl, including FAQ lists, should be found on
this system using "man perl" or "perldoc perl". If you have access to the
Internet, point your browser at http://www.perl.org/, the Perl Home Page.

Z:\>

```

## Installation de l'extension LaTeX Workshop dans VS Code



## Composition de documents en LaTeX dans VS Code

- Créez un nouveau document au format **tek**.
- Saisir le code suivant qui fait appel au paquet *lipsum* :

The screenshot shows a Visual Studio Code interface with two tabs: 'example.tex' and 'example.pdf'. The 'example.tex' tab displays the following LaTeX code:

```

\documentclass[12pt]{report}
\usepackage{lipsum}
\begin{document}
\chapter{Introduction}
\lipsum[1-3]
\end{document}

```

The 'example.pdf' tab shows the generated PDF document. The first page contains the title 'Chapter 1' and the section 'Introduction'. Below this is a large block of placeholder text from the 'lipsum' package.

Below the PDF preview, the LaTeX code is repeated. At the bottom of the screen, there are status indicators: 'Ln 7, Col 1', 'Spaces: 4', 'UTF-8', 'CRLF', 'LaTeX', and a QR code icon.

From:  
<https://webcemu.unicaen.fr/dokuwiki/> - CEMU

Permanent link:  
<https://webcemu.unicaen.fr/dokuwiki/doku.php?id=latex&rev=1712131879>

Last update: **03/04/2024 10:11**

